

Anchor[®]



Fancy Clutch



AnchorCrafts.com

   @anchorcrafting

Designed by Lucia Cabrera

Design No.: 0022396-00001-01


MEZ Needlecraft GmbH, 2021. All Rights Reserved.



Anchor Crafty Fine 250g - Art. N° 4774200- * (Colour n°)

Easy 

 28 x 17 cm

 1X *00112 (A),
1X *00115 (B)

   N.° 18
MILWARD

Fancy Clutch

KNOTS USED:

Lark's head knot
double half hitch knot
Square knot

PREPARING OUR WORKSPACE

To carry out this work, it is advisable to do it by hanging the hoop from a macramé frame, rack or coat rack, or any part of your house with light where you can hang it.


When working with such long ropes, it is preferable to hang them high, and work standing or sitting.

BEFORE STARTING


Cut 16 ropes colour A (3,5 meters each), 1 rope colour A (80cm), 8 ropes colour B (3 meterst each) and 1 rope colour B (50 cm).

STEPS

STEP 1: place the cords with **Lark's head knot** on the 80 cm cord .Place 4 colour B cords on the right, followed by 16 cords colours A and at the left end 4 more in colour B.



STEP 2: make a round of **square knots**.




STEP 3: work another round of **square knots**, don't work with the first 2 threads, and the 2 lasts.




STEP 4: Repeat step 2 and 3 until you have 29 rounds.




STEP 5: Work 10 rounds with **square knot**, leave 4 threads in each round (2 at the beginning, 2 at the end) ending round 10 with one square knot.




STEP 6: make **double half hitch knot** using the left cord as a guide, until the middle of the labor.



STEP 7: make **double half hitch knot** using the right cord as a guide, until the middle of the labor.



STEP 8: Repeat step 7.



STEP 9: cut the cords, undo one by one and brush them. The final measure should be 3 cm.



STEP 10: sew the laterals with a yarn needle.



WASHING ADVICE

Always wash in as warm a water temperature as possible - up to the temperature recommended, with a short spin. Use a lot of water if hand washing. For darker colours we recommend the use of discolouration sheets.

Do not bleach.

Do not tumble dry. Drip-dry on a horizontal surface.

Iron on a hot temperature setting using a damp cloth.

Professional dry cleaning in tetrachloroethylene.

STEP 11: make a circle with the 50 cm cord, using a needle and thread. And sew it to the clutch.

